

Floating Oil Bladder LFT C 25

202892

The LFT C 25 is a durable floating storage tank designed for temporary storage of recovered oil. The tank is mainly intended for use at sea as a towable storage bladder and can also be used on land.

The LFT C 25 is manufactured from oil and fuel resistant fabric with a PU/PVC coat. The entire manufacturing process involves only welding therefore offering a much stronger alternative to glued or sewed storage bladders. All fittings used in the composition of the LFT C 25 are marine grade aluminum.

Each LFT C 25 comes equipped with a tow harness for connection to the reinforced nose cone, PVC ball valves, light holder and nose cone air bladder. For safety a pressure relief valve is fitted as standard. The towing speed when fully loaded is 6 knots and 12 knots when empty.

A unique feature of the LFT C 25 tank is the availability of an optional specialized discharge point that has been designed to accept the range of Lamor GTA Submersible pumps for easy offloading.



Technical Specifications:

Length	11700 mm	38.4 ft
Width	1800 mm	5.9 ft
Height	1800 mm	5.9 ft
Weight	313 kg	690 lbs
Capacity	25 m ³	883 ft ³
Tow speed empty	12 kn	12 kn
Tow speed full	6 kn	6 kn

Benefits:

- Strong and durable construction due to RF welding only
- High tenacity fabric
- Small space required for storage when deflated
- Supplied with load rated towing system
- Mooring/carry handles
- Can be adapted for offloading with a GTA pump